

Creating the Application Link

Before starting work with the add-on, first, you need to create the application link between Confluence and TeamCity server. The add-on supports work with multiple TeamCity servers, so you can create as many as needed application links with TeamCity instances for retrieval of data about builds.

1. Navigate to Administration section of Confluence.
2. From the left-side menu, select Applications Links.
3. Enter URL of the TeamCity server.

Configure Application Links ?

You're trying our new Application Links page.

 [Give Feedback!](#)

[Switch Back](#)

Create new link

Application	Version	Status	Actions
 Atlassian JIRA PRIMARY	JIRA 7.2.0	CONFIG ERROR	...
 JIRA	JIRA 7.2.0	INCOMPATIBLE	...

4. Click **Create new link**.
5. In the opened **Link applications** form, specify the following information:
 - *Application Name* - enter 'TeamCity' or any other appropriate name.
 - *Application Type* - select 'TeamCity' from the list.

Link applications

You are creating a link from:

 **Application URL:** http://localhost:8090

Name: Confluence

Application: Confluence

To this application:

Application URL: https://teamcity.jetbrains.com/

Application Name *	<input type="text" value="TeamCity JetBrains"/>
Application Type *	<input type="text" value="TeamCity"/>
Service Provider Name	<input type="text"/>
Consumer key	<input type="text"/>
Shared secret	<input type="text"/>
Request Token URL	<input type="text"/>
Access token URL	<input type="text"/>
Authorize URL	<input type="text"/>
Create incoming link	<input type="checkbox"/>

Continue

Cancel

6. Click **Continue**.

7. Once the application has been created, locate it on the list with others and click **Edit**.

Configure Application Links [?]

You're trying our new Application Links page
[Give Feedback!](#) [Switch Back](#)

Enter the URL of the application you want to link [Create new link](#)

Application	Version	Status	Actions
Atlassian JIRA PRIMARY	JIRA 7.2.0	CONFIG ERROR	...
JIRA	JIRA 7.2.0	INCOMPATIBLE	...
TeamCity JetBrains PRIMARY	TeamCity	INCOMPATIBLE	... <ul style="list-style-type: none">Go to remoteEditDelete

- ;
8. In the opened **Configure TeamCity** form, switch to *Outgoing Authentication*.

Configure TeamCity JetBrains

[Application Details](#)
Outgoing Authentication
[Incoming Authentication](#)

This application Confluence (Confluence) can be configured to make requests to TeamCity JetBrains (TeamCity) using these authentication methods:

i Enter the login details which will be used by Confluence (Confluence) for outbound requests to TeamCity JetBrains (TeamCity). [?]

Status **Not Configured**

Username*

Password*

Confirm Password*

[Close](#)

9. Enter username and password of the TeamCity account.
10. Click **Enable** and close the form.