

# Inserting TeamCity Agents macro

TeamCity is the continuous integration server developed by JetBrains. By adding the TeamCity Agents macro to a Confluence page, you can display information about the available agents on your Confluence pages.

Before you can use this macro, your Confluence and TeamCity server should be connected via [Application Links](#). People viewing the page will see information about the available TeamCity agents. Data are retrieved through TeamCity user account, so Confluence users needn't even have an account in TeamCity to view available agents. The add-on supports work with multiple TeamCity servers, so you can instantly view all available agents in one place.

## Adding the TeamCity Agents macro to a page

1. In the **Select Macro** form, select the *TeamCity Agents* macro.
2. Select the appropriate TeamCity instance, which data about agents is retrieved from.

### Edit 'TeamCity Agents' Macro

Prints the agents which are connected to TeamCity.

TeamCity Application Link

Use primary (TeamCity JetBrains) ▼

Preview

Agent	Enabled	Connected
<a href="#">mps-vano-prague-dev1</a>	true	true
<a href="#">mac-esxi-13</a>	true	true
<a href="#">mps-mb-prague-dev1</a>	true	true
<a href="#">mps-mb-prague-dev2</a>	true	true
<a href="#">mps-budong-prague-1</a>	true	false
<a href="#">mps-budong-prague-3</a>	true	false
<a href="#">mps-budong-prague-2</a>	true	false
<a href="#">mps-ubuntu-14.04-v1.a4-i-011439f3e6b07262d</a>	true	true
<a href="#">mps-ubuntu-14.04-v1.a2-i-04c65ea0c18aead74</a>	true	true
<a href="#">mps-ubuntu-14.04-v1.a1-i-0b8c5c38b97cc6277</a>	true	true
<a href="#">mps-ubuntu-14.04-v1.a3-i-07ba2cef6fa060270</a>	true	true
<a href="#">mps-ubuntu-14.04-v1.a5-i-0f0473e3e26aba35a</a>	true	true
<a href="#">Win10ProX64VS2015i01</a>	true	true
<a href="#">ubuntu-14.04-v101-i-0c5cf8b4bad5b8d1d</a>	true	true

Select macro

Save Cancel

3. Click **Insert**.
4. Save the page.

Once you have saved the page, you will see the table with the following information:

- *Agent* - name of the agent (machine name);
- *Enabled* - status of the agent (either enabled or disabled);
- *Connected* - connection status of the agent (connected or disconnected).

Created by Peter Jacobs, last modified just a moment ago

 Like Be the first to like this No labels 

 Write a comment...

## Code examples

**Macro name:** teamcity-agents

**Macro body:** None.

The following parameter is available in storage format.

Parameter Name	Required	Default	Parameter description and accepted values
server	no	By default, the primary application link is selected. If the primary application link is used, this parameter is not available in the storage format.	Name of the application link used for integration with TeamCity server.
macro-id	Automatically assigned	ID of the macro on the page.	Confluence assigns ID of the macro automatically.

## Storage format example

Below you can find the example of storage format. The selected application link is not indicated anyhow in the storage format.

```
<ac:structured-macro ac:name="teamcity-agents" ac:schema-version="1" ac:macro-id="ad94ced7-5755-4a13-890a-a062cfab09d8">
    <ac:parameter ac:name="server">TeamCity StiltSoft</ac:parameter>
</ac:structured-macro>
```