

Inserting TeamCity Activity macro

TeamCity is the continuous integration server developed by JetBrains. By adding the TeamCity Activity macro to a Confluence page, you can display information about the recent TeamCity activity on your Confluence pages.

Before you can use this macro, your Confluence and TeamCity server should be connected via [Application Links](#). People viewing the page will see information about the recent TeamCity activity fetched through the application link. Data are retrieved through TeamCity user account, so Confluence users needn't even have an account in TeamCity to view its activity. The add-on supports work with multiple TeamCity servers, so you can instantly view all activity in one place.

Adding the TeamCity Activity macro to a page

1. In the **Select Macro** form, select the *TeamCity Activity* macro.
2. Select the appropriate TeamCity server which activity data you want to view.

Edit 'TeamCity Activity' Macro

Prints the list of builds for TeamCity server.

TeamCity Application Link

Use primary (TeamCity JetBrains) ▼

Preview

| Project | Build |
|--|-------|
| Zinbra (Epigenome :: Tools) | #1768 |
| Integration (Epigenome :: Tools) | #1502 |
| Kotlin Example (by Eric Palmer) (Kotlin :: Projects Written in Kotlin) | #2358 |
| Cmeth (Epigenome :: Tools) | #2611 |
| GemIBee (Epigenome :: Tools) | #1694 |

Select macro

Save Cancel

3. Click **Insert**.
4. Save the page.

Once you have saved the page, you will see the table with the following information:

- *Project* - project, which the build was completed for;
- *Build* - build number;
- *Results* - results of the build completion;
- *Changes* - the list of changes added into the build and the user who added these changes;
- *Started* - date and time when the build was started;
- *Duration* - duration of the build creation;
- *Agent* - agent, which performed the task.

TeamCity Activity

Created by Peter Jacobs, last modified just a moment ago

| Project | Build | Results | Changes | Started | Duration | Agent |
|--|--|---|------------------------------|-----------------|----------|---|
| Build (Kotlin :: Kotlin Tools and Libraries :: kotlinox.dom) | #659 | Tests passed: 17 | No changes | 06 Oct 16 17:47 | 1m:15s | ubuntu-14.04-v101-l-008ccd8ead711026c |
| Build (Kotlin :: Kotlin Tools and Libraries :: Exposed) | #526 | Tests failed: 1 (1 new), passed: 83 | No changes | 06 Oct 16 17:47 | 1m:38s | ubuntu-14.04-v101-l-0863488220a599449 |
| Build (Kotlin :: Kotlin Tools and Libraries :: kotlinox.reflect.lite) | #775 | Tests passed: 4 | No changes | 06 Oct 16 17:47 | 35s | ubuntu-14.04-v101-l-050b048a89b8c5a94 |
| Build (kotlin dev) (Kotlin :: Kotlin Tools and Libraries :: kotlinox.html) | #0.5.12-SNAPSHOT (kotlin 1.0.4-eap-84) 120 | Tests passed: 41, ignored: 1; exit code 1 | No changes | 06 Oct 16 17:46 | 2m:43s | win2008-v8-l-0d309a5eeff0d4fbe |
| Build (Kotlin :: Kotlin Tools and Libraries :: kotlinox.html) | #0.5.12-SNAPSHOT 1344 | Tests passed: 41, ignored: 1; exit code 1 (new) | No changes | 06 Oct 16 17:43 | 2m:39s | win2008-v8-l-0d309a5eeff0d4fbe |
| BuildNumber (JetBrains MPS :: 3.5 :: Distribution) | #MPS-163.182 | Success | No changes | 06 Oct 16 17:42 | 2s | mps-ubuntu-14.04-v1-l-0b8c5c38b97cc6277 |
| Tests (Epigenome) | #6899 | Tests failed: 4, passed: 712 | superbobry@gmail.com (1) ▼ | 06 Oct 16 17:41 | 5m:47s | ubuntu-14.04-v101-l-050b048a89b8c5a94 |
| Zinbra (Epigenome :: Tools) | #1768 | Success | superbobry@gmail.com (1) ▼ | 06 Oct 16 17:39 | 2m:01s | ubuntu-14.04-v101-l-095820a1cba671072 |
| Integration (Epigenome :: Tools) | #1502 | Success | superbobry@gmail.com (1) ▼ | 06 Oct 16 17:38 | 2m:21s | ubuntu-14.04-v101-l-050b048a89b8c5a94 |
| Compile Kotlin examples (Kotlin) | #2378 | Tests passed: 2 | No changes | 06 Oct 16 17:37 | 5m:26s | win2008-v8-l-0d309a5eeff0d4fbe |

You can click the entries in the **Results** column, to proceed to the build results in TeamCity instance.

If you want to view build changes, click the down arrow icon to expand the list of changes added into the build. You can view the files that were created, edited or deleted in the result of modifications, by clicking the *N files* link.

No changes

06 Oct 16 17:47

35s

michael vlassiev (1)

06 Oct 16 17:46

13m:51s

code 1

michael vlassiev

MPS-23926 [build:IC-999.SNAPSHOT] @NotNull method
jetbrains/mps/vcs/diff/ui/common/DiffChangeGroupLayout.getL
must not return null

6 files

Code examples

The following examples are provided for advanced users who want to inspect or edit the underlying markup for a Confluence page.

Macro name: teamcity-activity

Macro body: None.

The following parameter is available in storage format.

| Parameter Name | Required | Default | Parameter description and accepted values |
|----------------|------------------------|---|---|
| server | no | By default, the primary application link is selected. If the primary application link is used, this parameter is not available in the storage format. | Name of the application link used for integration with TeamCity server. |
| macro-id | Automatically assigned | ID of the macro on the page. | Confluence assigns ID of the macro automatically. |

Storage format example

Below you can find the example of storage format. The selected application link is not indicated anyhow in the storage format.

```
<ac:structured-macro ac:name="teamcity-activity" ac:schema-version="1" ac:macro-id="6b091831-fe3e-4243-b5f9-9aa649418f14">
  <ac:parameter ac:name="server">TeamCity StiltSoft</ac:parameter>
</ac:structured-macro>
```